Contents Volume 192 (1997)

Nine selected papers from the
FOURTH INTERNATIONAL SYMPOSIUM ON PLANT-SOIL
INTERACTIONS AT LOW pH

March 17–24, 1996

Belo Horizonte, Minas Gerais, Brazil

Guest editors:
A.C. Moniz[1], A.M.C. Furlani[1], R.E. Schaffert[2],
N.K. Fageria[3], C.A. Rosolem[4] and H. Cantarella[1]

[1]Instituto Agronomico de Campinas, C. Postal, 28,
13001-970 Campinas, SP, Brazil,
[2]EMBRAPA/CNPMS, C. Postal 151, 35701-970,
Sete Lagoas, MG, Brazil,
[3] EMBRAPA/CNPAF, C. Postal 179, 74001-970,
Goiania, GO, Brazil and
[4] FCAV/UNESP, Campus de Jaboticabal, 14870-000,
Jaboticabal, SP, Brazil

Molecular and physiological analysis of *Arabidopsis* mutants exhibiting altered sensitivities to aluminium
P.B. Larsen, L.M. Stenzler, C.-Y. Tai, J. Degenhardt, S.H. Howell and L.V. Kochian **3–7**

Soil acidity effects on nutrient use efficiency in exotic maize genotypes
V.C. Baligar, G.V.E. Pitta, E.E.G. Gama, R.E. Schaffert, A.F. de C. Bahia Filho and R.B. Clark **9–13**

Arbuscular mycorrhizal adaptation, spore germination, root colonization, and host plant growth and mineral acquisition at low pH
R.B. Clark **15–22**

Induction of callose formation is a sensitive marker for genotypic aluminium sensitivity in maize
W.J. Horst, A.-K. Püschel and N. Schmohl **23–30**

Uptake of Al across the plasma membrane of plant cells
Z. Rengel and R.J. Reid **31–35**

Calcium sulphate, phosphogypsum and calcium carbonate in the amelioration of acid subsoils for root growth
M.C.S. Carvalho and B. van Raij **37–48**

Effects of phosphogypsum on amelioration of strongly acid nonallophanic Andosols
M. Toma and M. Saigusa **49–55**

In-situ soil solution chemistry in an acid forest soil as influenced by growing roots of Norway spruce (*Picea abies* [L.] Karst.)
A. Dieffenbach, A. Göttlein and E. Matzner **57–61**

Involvement of multiple aluminium exclusion mechanisms in aluminium tolerance in wheat
D.M. Pellet, L.A. Papernik, D.L. Jones, P.R. Darrah, D.L. Grunes and L.V. Kochian **63–68**

REGULAR PAPERS

Bacteria from rhizosphere and hyphosphere soils of different arbuscular-mycorrhizal fungi
G. Andrade, K.L. Mihara, R.G. Linderman and G.J. Bethlenfalvay **71–79**

Phytotoxicity of aluminium-fluoride complexes and their uptake from solution culture by *Avena sativa* and *Lycopersicon esculentum*
D.P. Stevens, M.J. McLaughlin and A.M. Alston **81–93**

Microscale heterogeneity of acidity related stress-parameters in the soil solution of a forested cambic podzol
A. Göttlein and E. Matzner **95–105**

Differences in responses to iron deficiency among various cultivars of mungbean (*Vigna radiata* (L.) Wilczek)
Y. Ohwaki, S. Kraokaw, S. Chotechuen, Y. Egawa and K. Sugahara **107–114**

A sensitive and convenient assay for boron in plant using chromotropic acid and HPLC
T. Matoh, R. Akaike and M. Kobayashi **115–118**

Effects of grass-encroachment on vegetation and soil in Dutch dry dune grasslands
M.A.C. Veer and A.M. Kooijman **119–128**

Localisation of mineral uptake by roots using Sr isotopes
E. Dambrine, M. Loubet, J.A. Vega and A. Lissarague **129–132**

Changes of phosphorous fractions under continuous corn production in a temperate clay soil
T.Q. Zhang and A.F. MacKenzie **133–139**

Application of genistein to inocula and soil to overcome low spring soil temperature inhibition of soybean nodulation and nitrogen fixation
F. Zhang and D.L. Smith **141–151**

Intraspecific transfer of carbon between plants linked by a common mycorrhizal network
J.D. Graves, N.K. Watkins, A.H. Fitter, D. Robinson and C. Scrimgeour **153–159**

Effect of green manure and floodwater algae on diurnal fluctuations of floodwater pH and depth of aerobic soil layer under lowland rice conditions
H.S. Thind and D.L. Rowell **161–165**

Role of the dwarf bamboo (*Sasa*) community in retaining basic cations in soil and preventing soil acidification in mountainous areas of Japan
T. Takamatsu, T. Kohno, K. Ishida, H. Sase, T. Yoshida and T. Morishita **167–179**

Influence of subsoil zinc on dry matter production, seed yield and distribution of zinc in oilseed rape genotypes differing in zinc efficiency
H.S. Grewal, L. Zhonggu and R.D. Graham **181–189**

Seed zinc content influences early vegetative growth and zinc uptake in oilseed rape (*Brassica napusa* and *Brassica juncea*) genotypes on zinc-deficient soil
H.S. Grewal and R.D. Graham **191–197**

The potential of some soil amendments to improve tree growth on metalliferous mine wastes
P.H. Whitbread-Abrutat **199–217**

Importance of soil-water relations in assessing the endpoint of bioremediated soils I: Plant growth
X. Li, Y. Feng and N. Sawatsky **219–226**

Importance of soil-water relations in assessing the endpoint of bioremediated soils II: Water-repellency in hydrocarbon contaminated soils
N. Sawatsky and X. Li **227–236**

The decomposition of sugar beet residues: mineralization versus immobilization in contrasting soil types
A.P. Whitmore and J.J.R. Groot **237–247**

Nitrogen availability and uptake by grassland in mesocosms at two water levels and two water qualities
M.J.M. Oomes, P.J. Kuikman and F.H.H. Jacobs **249–259**

Influence of arbuscular mycorrhizae and *Rhizobium* on nutrient content and water relations in drought stressed alfalfa
N. Goicoechea, M.C. Antolín and M. Sánchez-Díaz **261–268**

Ligand effects on aluminium sorption by calcium pectate
F.P.C. Blamey, Z. Ostatek-Boczynski and G.L. Kerven **269–275**

Purslane (*Portulaca oleracea* L.): A halophytic crop for drainage water reuse systems
C.M. Grieve and D.L. Suarez **277–283**

Seasonal changes of arbuscular mycorrhizal fungi as affected by tillage practices and fertilization: Hyphal density and mycorrhizal root colonization
Z. Kabir, I.P. O'Halloran, J.W. Fyles and C. Hamel **285–293**

Transformations of residual ^{15}N in a coniferous forest soil humus layer in northern Vancouver Island, British Columbia
S.X. Chang, C.M. Preston and K. McCullough **295–305**

Effect of root temperature on plant response functions for tomato: comparison of static and dynamic salinity stress indices
F.N. Dalton, A. Maggio and G. Piccinni **307–319**

Effectiveness of *Sesbania rostrata* and *Phaseolus calcaratus* as green manure for upland rice grown in acidic soil
I.J. Manguiat, P.W. Singleton, P.M. Rocamora, M.U. Calo and E.E. Taleon **321–331**

Volume contents **333–335**

Author index **336**

Instructions to authors **337–339**